


Title

Subtitle

MATTIA PUDDU
mattiapuddu@icloud.com

June 3, 2025



Title

Subtitle

Supervisors

SUPERVISOR

SECOND SUPERVISOR

Examiners

EXAMINER

SECOND EXAMINER

Candidate

MATTIA PUDDU

MATTIAPUDDU@ICLOUD.COM

June 3, 2025

Table of Contents

Introduction	III
Errata Corrige	V
1 Environments	1
1.1 Theorems and Proofs	1
1.2 Definitions, Examples, Remarks	2
1.3 Description, itemize, enumerate	3
1.4 Margin Notes	6
1.5 Hypertext links, quotes, indices, urls	7
2 New commands	9
2.1 Equations	11
2.1.1 Arrows	11
2.1.2 Maps	11
2.2 Chapter introductions	13
2.3 Minipage and wrapfigure	14
2.4 Quotes	15
2.5 The package "polynomial"	15
2.6 The package "accents"	15
2.7 Typesetting of inline equations	16
3 PGF and Tikzpicture	17
3.1 Boxes	17
3.2 PGF (see also the manual of the package "pgfplots" on ctan.org)	17

Appendices

A Title	29
Bibliography	31
Analytic Index	33

Introduction

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus

semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetur.

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.

Sed commodo posuere pede. Mauris ut est. Ut quis purus. Sed ac odio. Sed vehicula hendrerit sem. Duis non odio. Morbi ut dui. Sed accumsan risus eget odio. In hac habitasse platea dictumst. Pellentesque non elit. Fusce sed justo eu urna porta tincidunt. Mauris felis odio, sollicitudin sed, volutpat a, ornare ac, erat. Morbi quis dolor. Donec pellentesque, erat ac sagittis semper, nunc dui lobortis purus, quis congue purus metus ultricies tellus. Proin et quam. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Praesent sapien turpis, fermentum vel, eleifend faucibus, vehicula eu, lacus.

Errata Corrige

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Date	Page
June 3, 2025	-

CHAPTER 1

Environments

1.1 Theorems and Proofs

```
\begin{The}
\lipsum[2]
\end{The}
```

Theorem 1.1.1 Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

```
\begin{Proof}
\lipsum[2]
\end{Proof}
```

Proof Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris. □

```
\begin{Pro}
\lipsum[1]
\end{Pro}
```

Proposition 1.1.2 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo

ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

```
\begin{Le}
\lipsum[2]
\end{Le}
```

Lemma 1.1.3 Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

```
\begin{Co}
\lipsum[2]
\end{Co}
```

Corollary 1.1.4 Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

1.2 Definitions, Examples, Remarks

```
\begin{De}
\lipsum[2]
\end{De}
```

Definition 1.2.1 Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

```
\begin{Exa}
\lipsum[8]
\end{Exa}
```

Example 1.2.2 Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Donec odio elit, dictum in, hendrerit sit amet, egestas sed, leo. Praesent feugiat sapien aliquet odio. Integer vitae justo. Aliquam vestibulum fringilla lorem. Sed neque lectus, consectetur at, consectetur sed, eleifend ac, lectus. Nulla facilisi. Pellentesque eget lectus. Proin eu metus. Sed porttitor. In hac habitasse platea dictumst. Suspendisse eu lectus. Ut mi mi, lacinia sit amet, placerat et, mollis vitae, dui. Sed ante tellus, tristique ut, iaculis eu, malesuada ac, dui. Mauris nibh leo, facilisis non, adipiscing quis, ultrices a, dui.

```
\begin{Rmk}
\lipsum[2]
\end{Rmk}
```

Remark 1.2.3 Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

There are similar commands to create a Theorem, Proposition... without numbering. For instance:

```
\begin{Pro*}
\lipsum[2]
\end{Pro*}
```

Proposition Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

1.3 Description, itemize, enumerate

Description with boxed labels

```
\begin{description}
\item[\boxed{Label 1}{1.5cm}]
\lipsum[1]
\item[\boxed{Label 2 with a very long comment}{4cm}]
\lipsum[2]
\end{description}
```

Label 1

 Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Label 2 with a very long comment

 Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Description

```
\begin{description}
\item[Label 1] \lipsum[1]
\item[Label 2] \lipsum[2]
\end{description}
```

Label 1 Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Label 2 Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Itemize

```
\begin{itemize}
    \item \lipsum[2]
    \item \lipsum[2]
    \item \lipsum[2]
\end{itemize}
```

- ◊ Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.
- ◊ Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.
- ◊ Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Enumerate

```
\begin{enumerate}
    \item \lipsum[2]
    \item \lipsum[2]
\end{enumerate}
```

1. Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.
2. Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus.

Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

1.4 Margin Notes

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Margin note
\note{Note}

Remark 1.4.1 Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris. Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Proof Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris. □

\sub
Different colour
to explain a step
in a proof
\expl{#1}

1.5 Hypertext links, quotes, indices, urls

We obtain a hypertext link with

```
\label{Label}
```

and we call it with

```
\ref{Label}
```

Result: Section 1.5

We quote a book in the bibliography with

```
\cite{LabelBook}
```

Result: [Pud25a]

We add new elements in the analytic index with

```
\index{Index}
  \index{IndexSecondVoice}
\index{Index!ThirdVoice}
\index{Index!ThirdVoice!Part 1}
\index{Index!ThirdVoice!Part 2}
```

The result of this two commands is shown in the analytic index at the end of the document.

We create URL links with

```
\url{https://mattiapuddu25.github.io/main/index.html}
```

Result: <https://mattiapuddu25.github.io/main/index.html>

CHAPTER 2

New commands

$\backslash A$	$\backslash AA$	$\backslash AAA$	Symbols
\mathbb{A}	\mathcal{A}	\mathscr{A}	$\backslash d \quad d$
\mathbb{B}	\mathcal{B}	\mathscr{B}	$\backslash e \quad e$
\mathbb{C}	\mathcal{C}	\mathscr{C}	$\backslash g \quad g$
\mathbb{D}	\mathcal{D}	\mathscr{D}	$\backslash i \quad i$
\mathbb{E}	\mathcal{E}	\mathscr{E}	$\backslash j \quad j$
\mathbb{F}	\mathcal{F}	\mathscr{F}	$\backslash k \quad k$
\mathbb{G}	\mathcal{G}	\mathscr{G}	$\backslash l \quad \ell$
\mathbb{H}	\mathcal{H}	\mathscr{H}	$\backslash o \quad o$
\mathbb{I}	\mathcal{I}	\mathscr{I}	$\backslash one \quad \mathbf{1}$
\mathbb{J}	\mathcal{J}	\mathscr{J}	$\backslash t \quad t$
\mathbb{K}	\mathcal{K}	\mathscr{K}	$\backslash Zero \quad \mathbf{0}$
\mathbb{L}	\mathcal{L}	\mathscr{L}	
\mathbb{M}	\mathcal{M}	\mathscr{M}	
\mathbb{N}	\mathcal{N}	\mathscr{N}	
\mathbb{O}	\mathcal{O}	\mathscr{O}	
\mathbb{P}	\mathcal{P}	\mathscr{P}	
\mathbb{Q}	\mathcal{Q}	\mathscr{Q}	
\mathbb{R}	\mathcal{R}	\mathscr{R}	
\mathbb{S}	\mathcal{S}	\mathscr{S}	
\mathbb{T}	\mathcal{T}	\mathscr{T}	
\mathbb{U}	\mathcal{U}	\mathscr{U}	
\mathbb{V}	\mathcal{V}	\mathscr{V}	
\mathbb{W}	\mathcal{W}	\mathscr{W}	
\mathbb{X}	\mathcal{X}	\mathscr{X}	
\mathbb{Y}	\mathcal{Y}	\mathscr{Y}	
\mathbb{Z}	\mathcal{Z}	\mathscr{Z}	

Operators		Others	
*	.	\Alg	-\Alg
\binom{A}{B}	$\binom{A}{B}$	\Ann{A}	\Ann(A)
\CF{A}	\langle A \rangle	\Aut{A}	\Aut(A)
\codim{A}{B}	\codim_B(A)	\dlim{A}{B}	\varinjlim_A B
\Diff{A}{B}	d A_B	\Ext{A}{B}	A B
\dim{A}{B}	\dim_A(B)	\Fix{A}	\Fix(A)
\exp{A}	\exp(A)	\Gal{A}	\Gal(A)
\Floor{A}	\lfloor A \rfloor	\GalD{A}{B}{C}	\Gal_C(A B)
\Id{A}	\mathrm{Id}_A	\GL{A}{B}	\mathrm{GL}_A(B)
\Im{A}	\mathrm{Im}(A)	\GLF{A}	\mathbf{GL}_A
\Leg{A}{B}	$\left(\frac{A}{B}\right)$	\GLV{A}	\mathrm{GL}(A)
\Lie{A}{B}	[A, B]	\Grp	\mathbf{Grp}
\Norma{A}	\ A\	\Ker{A}	\mathrm{Ker}(A)
\PS{A}{B}	(A, B)	\OM{A}{B}	\mathrm{O}_A(B)
\rank{A}	\mathrm{rank}(A)	\plim{A}{B}	\varprojlim_A B
\Re{A}	\mathrm{Re}(A)	\Seq{A}{B}{C}	(A_B)_C
\Res{A}{B}	A _B	\Set{A}	\{A\}
\Stirling{A}{B}	$\begin{bmatrix} A \\ B \end{bmatrix}$	\SetC	\mathbf{Set}
\SStirling{A}{B}	$\begin{Bmatrix} A \\ B \end{Bmatrix}$	\SLM{A}{B}	\mathrm{SL}_A(B)
\Tr{A}	\mathrm{Tr}(A)	\SO{A}{B}	\mathrm{SO}_A(B)
\trdeg{A}{B}	\mathrm{trdeg}_B(A)	\Span{A}{B}	\mathrm{Span}_A(B)
		\Spec{A}	\mathrm{Spec}(A)
		\Stab{A}{B}	\mathrm{Stab}_B(A)
		\VecF	\mathbf{-VecF}

2.1 Equations

Equation with label

```
\EqL{Equation with label}{B}
```

Equation with label

[2.1]

The label appears only if it is called in the document. We do it with

```
\eqref{B}
```

Result: [2.1]

Equation without label

```
\Eq{A & B\\ C & D}
```

$$\begin{matrix} AB \\ CD \end{matrix}$$

2.1.1 Arrows

\tow{Text}	$\xrightarrow{\text{Text}}$
\two	\Rightarrow
\two{Text}	$\xrightarrow{\text{Text}}$
\hook	\leftrightarrow
\longtwoheadrightarrow	\longrightarrow
\longto	\longrightarrow

2.1.2 Maps

Map with a name

```
\[ \Map{A}{B}{C}{D}{E} \]
```

$$\begin{array}{ccc} A: & B & \rightarrow C \\ & D & \mapsto E \end{array}$$

Map without a name

```
\[ \NMap{A}{B}{C}{D} \]
```

$$\begin{array}{ccc} A & \rightarrow & B \\ C & \mapsto & D \end{array}$$

Functors

\Functor{A}{B}{C}{D}{E}{F}{G}{H}{I}

$$\begin{array}{ccc} A: & B & \longrightarrow C \\ & D & \longmapsto E \\ & H \downarrow & \downarrow I \\ & F & \longrightarrow G \end{array}$$

\FunctorC{A}{B}{C}{D}{E}{F}{G}{H}{I}

$$\begin{array}{ccc} A: & B & \longrightarrow C \\ & D & \longmapsto E \\ & H \downarrow & \uparrow I \\ & F & \longrightarrow G \end{array}$$

\NFunctor{A}{B}{C}{D}{E}{F}{G}{H}

$$\begin{array}{ccc} A & \longrightarrow B \\ C & \longmapsto D \\ G \downarrow & & \downarrow H \\ E & \longrightarrow F \end{array}$$

\NFunctorC{A}{B}{C}{D}{E}{F}{G}{H}

$$\begin{array}{ccc} A & \longrightarrow B \\ C & \longmapsto D \\ G \downarrow & & \uparrow H \\ E & \longmapsto F \end{array}$$

\Functor{A}{B}{C}{D}{E}{F}{G}{H}{I}

\FunctorComplete{A}{B}

$$\begin{array}{ccc} A: & B & \longrightarrow C \\ & D & \longmapsto E \\ & H \downarrow & \downarrow I \\ & F & \longmapsto G \end{array}$$

A
B

2.2 Chapter introductions

```
\begin{Intro}[colbacktitle=gray!80, width=\textwidth]
{Title}
{\lipsum[2]}
\end{Intro}
```

Title

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

```
\begin{RightIntro}[colbacktitle=gray!80, width=\textwidth]
{Title}
{\lipsum[2]}
\end{RightIntro}
```

Title

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

```
\begin{Boxed}
\lipsum[2]
\end{Boxed}
```

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

```
\UnderlineBox{\lipsum[2]}
```

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

2.3 Minipage and wrapfigure

```
\Minipage{0.49}{Left page}{0.49}{Right page}
```

Left page

Right page (to avoid overfull warnings, the sum of the two numbers should be strictly less than 1)

```
\EvOdd{5}{.5\textwidth}{Text or picture}
```

Text before: Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris. **Text after:**

Text or picture (The first command is the number of lines, the second command is the width of the space to be used, the third command is the content of the space): this part is always at the external border of the page

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis.

Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

2.4 Quotes

\Quote{Quote}{Author}

Quote

Author

2.5 The package "polynomial"

The package “polynomial” offers an easier typesetting for polynomials. We only write the coefficients: the variable and the exponents are handled through the options at the beginning of the command. An exhaustive list of available commands is the following:

\polynomial{1,1,2,c,0,0,0,0,5}	$1 + x + 2x^2 + cx^3 + 5x^8$
\polynomialfrac{1,1,2,c,0,0,0,0,5}{0,1,1,4}	$\frac{1 + x + 2x^2 + cx^3 + 5x^8}{x + x^2 + 4x^3}$
\polynomial[falling]{a,b,c,-d,e}	$a + bx^{-1} + cx^{-2} - dx^{-3} + ex^{-4}$
\polynomial[reciprocal]{a,b,c,d,e}	$ax^4 + bx^3 + cx^2 + dx + e$
\polynomial[var=t]{1,1,2,c,0,0,0,0,5}	$1 + t + 2t^2 + ct^3 + 5t^8$
\polynomial[start=100]{1,1,2,c,0,0,5}	$x^{100} + x^{101} + 2x^{102} + cx^{103} + 5x^{106}$
\polynomial[step=-5]{1,1,2,c}	$1 + x^{-5} + 2x^{-10} + cx^{-15}$
\polynomial[add=\otimes]{1,1,2,c,0,0,5}	$1 \otimes x \otimes 2x^2 \otimes cx^3 \otimes 5x^6$
\polynomial[sub=\times]{1,2,-c,0,0,0,0,-5}	$1 + 2x \times cx^2 \times 5x^6$

2.6 The package "accents"

The package “accents” offers a better typesetting of accented letters in mathematical environments. For instance:

\underaccent{under}{text}	$text_{\underset{under}{}}^{}$
\accentset{over}{text}	$text^{\overset{over}{}}$
\overrightarrow{text}	\overrightarrow{text}

<code>\underrightarrow{text}</code>	$\underline{\overrightarrow{text}}$
<code>\xrightarrow[below]{above}</code>	$\frac{above}{below} \rightarrow$
<code>\overset{above}{text}</code>	$\overset{above}{text}$
<code>\underset{below}{above}</code>	$\underset{below}{above}$
<code>\[\sideset{_a^b}{_c^d}\sum\]</code>	$\sum_a^b_c$

2.7 Typesetting of inline equations

Text `\tfrac{N}{D}` Text

Text $\frac{N}{D}$ Text

Text `\nicefrac{N}{D}` Text

Text N/D Text

Text `\tbinom{N}{D}` Text

Text $\binom{N}{D}$ Text

CHAPTER 3

PGF and Tikzpicture

3.1 Boxes

```
\boxed{Prova}
```

Prova

```
\begin{Intro}[colbacktitle=red]{Titolo}{Testo}\end{Intro}
```

Other alternatives are given by the environments listed in Section 2.2.

3.2 PGF (see also the manual of the package "pgfplots" on [ctan.org](#))

This section presents only a few examples. Due to Overleaf's reduced compilation time in the free version, I include some of the images generated by the code shown in verbatim.

```
\begin{figure}[ht]
\centering
\begin{tikzpicture}[scale=1.75]
\begin{axis}[xmin=-0.5, xmax=5, ymin=-0.5,
axis equal, xtick=data, ytick=data, grid=major]

\addplot[only marks] coordinates {(4,1) (3,1) (1.5,3)};

\addplot[mesh, domain=0:2.5, tick=\emptyset]
{(x-.5)^2} node [pos=.25, pin=0.4:$p$] {$\bullet$}
node [pos=.6, sloped, xshift=.05cm, yshift=-.2cm]
{\scriptsize $y=(x-\frac{1}{2})^2$};
\end{axis}
\end{tikzpicture}\noindent\hspace{2cm}
\caption{Points and graphs}
\end{figure}
```




Figure 3.1. Points and graphs

```
\begin{figure}[ht]
\centering
\begin{tikzpicture}[scale=1.8]
\begin{axis}[xmin=-1.5, xmax=1.5, ymin=-1.5, ymax=1.5, axis equal]

\addplot[samples=48, domain=0:2*pi, -latex, variable=\t,
    quiver={u={-\sin(deg(t))},
        v={\cos(deg(t))},
        scale arrows=0.75,
        colored=red}]
    ({\cos(deg(t))}, {\sin(deg(t))});

\addplot[samples=36, domain=0:2*pi]
    ({\cos(deg(x))}, {\sin(deg(x))});
\end{axis}
\end{tikzpicture}
\caption{Parametrizations}
\end{figure}
```

```
\begin{figure}[ht]
\centering
\begin{tikzpicture}[scale=1.5]
\begin{axis}[xmin=-5, xmax=5, ymin=-28, axis equal]

\addplot[samples=24, domain=0:2*pi, dashed, data cs=polar,
top color=Blues-I, bottom color=Blues-B] (deg(x),30);

\addplot[name path=Y, samples=24, domain=0:2*pi, dashed,
data cs=polar] (deg(x),30);

\addplot[GnBu-M, name path=X, domain=0:360, samples=36, smooth,
data cs=polar] (x, {30-8*sin(3*x)});

\addplot[green] fill between[of=Y and X];

\addplot [samples=36,domain=0:30, dashed, data cs=cart]
{.025*x^2} node [pos=1.1] {Node};

\addplot[mark=oplus, only marks] coordinates {(0,0)};
\node[pin=120:{Pin}] at (0,0) {};

\end{axis}
\end{tikzpicture}
\caption{Nodes and filling}
\end{figure}
```




Figure 3.2. Nodes and filling

```
\begin{figure}[ht]
\centering
\begin{tikzpicture}[scale=1.75]
\begin{axis}[xmin=-1, xmax=2, ymin=-3.5, ymax=1, axis equal=false]

\addplot[red, patch type sampling, patch type= cubic spline,
domain=0:2, smooth]{ln(x)};

\draw (0,0) .. controls (1,-1.2) and (1,1) .. (2,1);
\end{axis}
\end{tikzpicture}
\caption{Interpolation and paths}
\end{figure}
```

```
\begin{figure}[ht]
\centering
\begin{tikzpicture}[scale=1.75]
\begin{axis}[colormap/PuBu, samples=10, domain=-4:4, y domain=-4:4,
xmin=-4, xmax=4, ymin=-4, ymax=4, enlargelimits=false]

\addplot3[surf, samples=18, samples y=36]{x^2+y^2-1};
\end{axis}
\end{tikzpicture}
\caption{3D Surfaces}
\end{figure}
```

```
\begin{figure}[ht]
\centering
\begin{tikzpicture}[spy using outlines={}]
\begin{axis}[xmin=-1, xmax=6, ymin=0, ymax=1,
axis equal=false, grid=major, xtick=data, ytick=data,
every axis plot post/.append style={thick}]

\addplot[line join=round, green]
coordinates {(1, 0) (1,.75) (3, 0.9) (4, .75) (5, 0.8)};

\addplot[line join=bevel, blue]
coordinates {(0, 0) (1, 0.4) (3, 0.2) (4, 1) (5, 0.9)};

\coordinate (spypoint)      at (1,.4);
\coordinate (magnifyglass) at (-2,.25);
\end{axis}
\spy[blue, size=1.5cm, circle, magnification=5, connect spies]
on (spypoint) in node[fill=white]
at (magnifyglass);
\end{tikzpicture}
\caption{Spy}
\end{figure}
```




Figure 3.3. Spy

```
\begin{figure}[ht]
\centering
\begin{tikzpicture}[scale=1.75]
\begin{axis}[xmin=0, xmax=3.5, ymin=0, ymax=5]

\draw [name path=A] (2,3) ellipse (1.5 and 1.25);

\draw [name path=B] (1.5,1.5) rectangle (3,5);

\fill [red, opacity=.5, name intersections={of=A and B}]
  (intersection-1) circle (2pt) node[above right] {1}
  (intersection-2) circle (2pt) node[above left] {2}
  (intersection-3) circle (2pt) node[below left] {3}
  (intersection-4) circle (2pt) node[below right] {4};

\end{axis}
\end{tikzpicture}
\caption{Intersections}
\end{figure}
```




Figure 3.4. Intersections

```
\begin{figure}[ht]
\centering
\tdplotsetmaincoords{70}{135}
\begin{tikzpicture}[scale=3, tdplot_main_coords]

\tdplotsphericalsurfaceplot[parametricfill]{36}{36}
  {\sqrt(15/2)*sin(\tdplottheta)*cos(\tdplottheta)}
  {black!10}{\tdplotphi};

{\draw[color=black,thick,->] (0,0,0) -- (2,0,0)
 node[anchor=north east]{$x$};}

{\draw[color=black,thick,->] (0,0,0) -- (0,2,0)
 node[anchor=north west]{$y$};}

{\draw[color=black,thick,->] (0,0,0) -- (0,0,2)
 node[anchor=south]{$z$};}

\end{tikzpicture}
\caption{Tikz-3dplot}
\end{figure}
```


Appendices

APPENDIX A

Title

There once was a very smart but sadly blind duck. When it was still a small duckling it was renowned for its good vision. But sadly as the duck grew older it caught a sickness which caused its eyesight to worsen. It became so bad, that the duck couldn't read the notes it once took containing much of inline math just like its favoured equation: $d = u_c \cdot k$. Only displayed equations remained legible so it could still read

$$d = ra^k e.$$

That annoyed the smart duck, as it wasn't able to do its research any longer. It called for its underduckling and said: "Go, find me the best eye ducktor there is. He shall heal me from my disease!"

Bibliography

[Pud] Mattia Puddu, *Title*, <https://mattiapuddu25.github.io/index.html>.

[Pud25a] _____, *Title*, Publisher, 2025.

[Pud25b] _____, *Title*, Journal (2025), 1–100.

Analytic Index

A, 7

B, 7

C, 7

D, 7

E, 7

E1, 7

E2, 7

E21, 7

E22, 7